

Alliance shows crop vitality with less water

Limiting the use of water and other inputs on agricultural fields while still producing higher yields is possible.

Just ask members of the Nebraska Water Balance Alliance who have evidence that using water more efficiently can translate into economic viability.

NEWBA members, vendors, presenters and others met for a winter water summit Thursday at the Monsanto Learning Center.

The group identifies and develops workable alternatives to manage water to ensure healthy streams and sustainable ground water levels.

This past growing season, producers incurred high energy costs and used more water to irrigate during one of the driest years on record.

"We need to be aware of aquifer integrity and stream flows and we need to be accountable," said Roric Paulman, board president.

Balancing water needs critical

Written by Elizabeth Barrett Thursday, 07 February 2013 14:49 - Last Updated Thursday, 07 February 2013 14:56

Paulman has a farming operation outside of Sutherland where he documents changes or applications related to saving water and increasing or maintaining yield.

By such methods as measuring and reducing consumptive water use when and where it's possible, minimizing evaporation through innovative ways such as banking water and recharging the aquifer, consumption can be reduced, according to Ted Tietjen of Grant, coordinator of the Water Balance Demonstration project.

Tietjen talked about the need for real time water use management for producers.



Producers can quantify the amount of water applied, the amount of water in the soil on a given day or days and more through instruments such as ETGages, that measure evapotranspiration, flow meters and soil probes.

From probe information, pivots can be adjusted in application of water on crops—more in soil that needs moisture and less in areas where moisture is more plentiful.

Satellite imagery is also helpful.

Knowing how much water is used, during which stage of growth, and how much is available in the soil profile each day helps the grower project crop needs in the next few days, weeks or even to maturity, Tietjen said.

"This process helps growers maximize their water use and, in most cases, reduce operating costs and save water for future needs," he said. "It's critical to manage water over the

Balancing water needs critical

Written by Elizabeth Barrett Thursday, 07 February 2013 14:49 - Last Updated Thursday, 07 February 2013 14:56

generations."

Conserving soil moisture and decreasing soil temperature can also be accomplished, Tietjen said, by maximizing the height of surface residue on corn and other crops to catch snow.

He noted that growers who practiced good residue management saw exceptional yields in both corn and beets in Nebraska during the 2012 season.

Digging trenches to catch runoff, filling them with wood chips and covering the area not only reduces soil temperature and prevents runoff but can save two inches of water per acre per year on 160 acres, Tietjen said.

That's an unbelievable savings of 7.8 million gallons of water, he said, which is possible by developing programs with the assistance of University of Nebraska ag officials and others.

Several growers in Nebraska, including Roger and Joe Wahlgren of Gothenburg, participated in the information-gathering and analysis project in 2012 as did several power companies, probe and ETGage vendors, the University of Nebraska Panhandle Station, natural resources districts and sponsors.

The project will continue in 2013 using telemetry so ETGages and flow meters can be read daily and shared by producers.

Using new tools and technologies and quantified data, Paulman said he hopes they can change the behavior of growers to do what they can to conserve water for future generations.

"It's not 'why can't we?' " he said. "It's 'why don't we?"

Balancing water needs critical

Written by Elizabeth Barrett Thursday, 07 February 2013 14:49 - Last Updated Thursday, 07 February 2013 14:56

ebarrett@gothenburgtimes.com

308-537-3636